

**W-Series, Accessories**  
**WQV 6/10**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



The versatile and extensive range of products - from 0.05 mm<sup>2</sup> to 300 mm<sup>2</sup> - means that you have diverse options for your applications at your disposal.  
Hardened steel for mechanical strength and high-quality tinned copper for optimum conductivity. All materials comply with RoHS requirements and have been tested to current environment guidelines.

**General ordering data**

Order No.	<a href="#">1052260000</a>
Type	WQV 6/10
Version	W-Series, Accessories, Cross-connector, For the terminals, No. of poles: 10
GTIN (EAN)	4008190153977
Qty.	20 pc(s).

**W-Series, Accessories**  
**WQV 6/10**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**
**Dimensions and weights**

Length	77.3 mm	Width	7.6 mm
Height	18 mm	Net weight	16.75 g

**Temperatures**

Operating temperature		Storage temperature	
Continuous operating temp., min.	-50 °C	Continuous operating temp., max.	100 °C

**Additional technical data**

Explosion-tested version	No	Installation advice	Direct mounting
Version	For the terminals		

**Dimensions**

TS 35 offset	28 mm
--------------	-------

**Rated data**

Rated voltage	0 V	Rated current	57 A
---------------	-----	---------------	------

**Material data**

Material	PA 66	Colour	Yellow
UL 94 flammability rating	V-2		

**System specifications**

Product family	W-Series, Accessories	Mounting rail	TS 35
----------------	-----------------------	---------------	-------

**Classifications**

ETIM 2.0	EC000489	ETIM 3.0	EC000489
UNSPSC	30-21-18-01	eClass 4.1	27-14-11-99
eClass 5.1	27-14-11-40	eClass 6.0	27-14-11-40
eClass 7.0	27-14-11-40		

**Approvals**

Approvals


**Downloads**

DXF	<a href="#">08861_WQV_6-10_DXF.dxf</a>
<a href="#">3-D model</a>	