

W-Series, Accessories
WQV 2.5/10

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



The versatile and extensive range of products - from 0.05 mm² to 300 mm² - means that you have diverse options for your applications at your disposal.
Hardened steel for mechanical strength and high-quality tinned copper for optimum conductivity. All materials comply with RoHS requirements and have been tested to current environment guidelines.

General ordering data

| | |
|------------|---|
| Order No. | 1054460000 |
| Type | WQV 2.5/10 |
| Version | W-Series, Accessories, Cross-connector, For the terminals, No. of poles: 10 |
| GTIN (EAN) | 4008190135089 |
| Qty. | 20 pc(s). |

W-Series, Accessories
WQV 2.5/10

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|--------|---------|------------|--------|
| Length | 49.9 mm | Width | 7 mm |
| Height | 18 mm | Net weight | 7.75 g |

Temperatures

| | | | |
|----------------------------------|--------|----------------------------------|--------|
| Operating temperature | | Storage temperature | |
| Continuous operating temp., min. | -50 °C | Continuous operating temp., max. | 100 °C |

Additional technical data

| | | | |
|--------------------------|-------------------|---------------------|-----------------|
| Explosion-tested version | No | Installation advice | Direct mounting |
| Version | For the terminals | | |

Rated data

| | | | |
|---------------|-----|---------------|------|
| Rated voltage | 0 V | Rated current | 32 A |
|---------------|-----|---------------|------|

Material data

| | | | |
|---------------------------|-------|--------|--------|
| Material | PA 66 | Colour | Yellow |
| UL 94 flammability rating | V-2 | | |

System specifications

| | |
|----------------|-----------------------|
| Product family | W-Series, Accessories |
|----------------|-----------------------|

Classifications

| | | | |
|------------|-------------|------------|-------------|
| ETIM 2.0 | EC000489 | ETIM 3.0 | EC000489 |
| UNSPSC | 30-21-18-01 | eClass 4.1 | 27-14-11-99 |
| eClass 5.1 | 27-14-11-40 | eClass 6.0 | 27-14-11-40 |
| eClass 7.0 | 27-14-11-40 | | |

Approvals

Approvals

