

Group marker, Terminal markers WAD 5 MC NE WS

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com



The **WAD** connector markers can be used with W-series terminals and with the WEW 35/2 and ZEW 35/2 end bracket. These markers are available in standard print with lightning flash, custom print, or blank. The **WAD MultiCard** markers can be printed on with a **PrintJet** printer.

- High quality and resistant printing with PrintJet
- The WAD marker and cover can be used with the W-Series terminals and the WEW 35/2 or ZEW 35/2 end brackets.
- Available as neutral markers, specially printed or standard printed with a lightning bolt symbol
- Simple and quick to fit

General ordering data

| | |
|------------|---|
| Order No. | 1112910000 |
| Type | WAD 5 MC NE WS |
| Version | Group marker, Terminal markers, MultiCard, 33.3 x 5 mm, Polyamide 66, Colour: White |
| GTIN (EAN) | 4032248891689 |
| Qty. | 48 pc(s). |

**Group marker, Terminal markers
WAD 5 MC NE WS**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data
Dimensions and weights

| | | | |
|--------|----------|------------|---------|
| Length | 33.3 mm | Width | 5 mm |
| Height | 11.74 mm | Net weight | 2.354 g |

Markings

| | | | |
|-----------------------------------|--------------|--|--------|
| Cadmium | No | Can be labelled with thermal transfer printers | No |
| Can be printed with plotter | No | Can be written with dot-matrix printer | No |
| Can be written with laser printer | No | Colour | White |
| Conductor O.D. | | Halogen | No |
| Material | Polyamide 66 | Material colour according to resistance code | 9 |
| Operating temperature range, max. | 100 °C | Operating temperature range, min. | -40 °C |
| Pin can be written (STI) | Yes | PrintJet | Yes |
| Silicone | No | Speed marking laser | No |
| Type of printing | blank | UL 94 flammability rating | V-2 |

Classifications

| | | | |
|------------|-------------|------------|-------------|
| ETIM 3.0 | EC001288 | eClass 6.0 | 27-14-91-29 |
| eClass 7.0 | 27-14-91-29 | | |

Product information

| | |
|------------------------|---|
| Description of article | MultiCard markers for labelling terminals |
|------------------------|---|

Approvals

Approvals