

**IE-BP-V04P****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



For protecting your devices against dust and dirt.

**General ordering data**

Type	IE-BP-V04P
Order No.	<a href="#">1963900000</a>
Version	Flange-mounted housing, protective cap
GTIN (EAN)	4032248646326
Qty.	10 pc(s).

**IE-BP-V04P**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**

**Dimensions and weights**

Net weight 9 g

**Temperatures**

Operating temperature, max. 70 °C      Operating temperature -40 °C...70 °C

**Downloads**

UL Approval E316369VOL1SEC1.pdf

**General data**

Colour Black      Protection degree IP 67  
 Type of mounting Indoors only

**Standards**

Certificate no. (cULus) E316369

**Classifications**

ETIM 3.0	EC001121	ETIM 4.0	EC000437
ETIM 5.0	EC000437	ETIM 6.0	EC000437
UNSPSC	30-21-18-17	eClass 5.1	27-26-12-03
eClass 6.2	27-26-12-03	eClass 7.1	27-44-02-02
eClass 8.1	27-44-02-02	eClass 9.0	27-44-02-02

**Approvals**

Approvals



ROHS Conform

**Data sheet****IE-BP-V04P**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**