

**Tool accessorie  
STRIPAX**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



- For flexible and solid conductors with PVC insulation
- Stripping length adjustable via end stop
- Automatic opening of clamping jaws after stripping
- No splicing of single conductors
- Adjustable for different insulation thicknesses
- Cable with double insulation in two processing steps without special adjustment
- No play in self-adjusting cutting unit
- Long-lasting
- Optimised ergonomic design

**General ordering data**

Order No.	<a href="#">9005000000</a>
Type	STRIPAX
Version	Tool accessorie, Spare blade, Flexible and solid conductors with PVC insulation, 10 mm <sup>2</sup> , 25 mm
GTIN (EAN)	4008190072506
Qty.	1 pc(s).

**Tool accessorie  
STRIPAX**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**

**Dimensions**

Length	190 mm	Weight	175 g
Net weight	222 g		

**Max. cutting performance**

Conductor cross-section (cutting capacity)	6 mm <sup>2</sup>
--	-------------------

**Max. insulation stripping performance**

Cable type	Flexible and solid conductors with PVC insulation	Conductor cross-section, min.	0.08 mm <sup>2</sup>
Conductor cross-section, max.	10 mm <sup>2</sup>	Conductor cross-section, min. AWG	AWG 28
Conductor cross-section, max. AWG	AWG 7	Stripping length , max.	25 mm

**Classifications**

ETIM 2.0	EC000163	ETIM 3.0	EC000163
UNSPSC	23-17-16-04	eClass 4.1	21-04-03-01
eClass 5.1	21-04-03-01	eClass 6.0	21-04-38-90
eClass 7.0	21-04-37-06		

**Product information**

Description of article	Stripping tool up to 10mm <sup>2</sup>
Product description	<ul style="list-style-type: none"> <li>• Stripping: PVC-insulated flexible wires from 0.08 to 10 mm<sup>2</sup> (~ AWG 28 to 7)</li> <li>• Cutting: PVC-insulated flexible wires from 0.08 to 10 mm<sup>2</sup> (~ AWG 28 to 7)</li> <li>• Processing of multi-conductors, with thin flat ribbon cables and even multiple conductors in one operation</li> <li>• No damaging of the conductor due to special, self-adjustable stripping blades</li> </ul>

**Approvals**

Approvals



**Data sheet...**

**Tool accessorie  
STRIPAX**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

