

**Crimping tool
MTR 110**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

**Crimping tools for tubular cable lugs, rolled
Cu, Al connectors and wire end ferrules, with
interchangeable inserts**

- Comprehensive range of standard-compliant crimp inserts
- Customised crimp inserts are available on request.
- Ratchet for precise crimping.
- Release option in the event of incorrect operation
- Precision engineering means high pressing force with little physical effort

General ordering data

Order No.	9018020000
Type	MTR 110
Version	Crimping tool, Crimping tool, universal hand presses, 6 mm ² , 120 mm ²
GTIN (EAN)	4008190064150
Qty.	1 pc(s).

**Crimping tool
MTR 110**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Length	420 mm	Weight	2 kg
Net weight	2,511 g		

Technical data

Version	Mechanical, with interchangeable inserts
---------	--

Contact description

Type of contact	Tubular cable lug, rolled connector	Crimping range, min.	6 mm ²
Crimping range, max.	120 mm ²		

Tool data - crimping

Copper connector (rolled), min.	6 mm ²	Copper connector (rolled), max.	70 mm ²
Insulated connectors, min.	10 mm ²	Insulated connectors, max.	35 mm ²
Wire end ferrules cross-section, min.	70 mm ²	Wire end ferrules cross-section, max.	95 mm ²
Deviation	10 mm		

Classifications

ETIM 2.0	EC000168	ETIM 3.0	EC000168
UNSPSC	23-17-16-04	eClass 4.1	21-04-03-01
eClass 5.1	21-04-03-01	eClass 6.0	21-04-38-90
eClass 7.0	21-04-38-90		

Product information

Descriptive text technical data	For more details see crimp inserts on the following pages
Descriptive text accessories	Crimping inserts see on the following pages
Description of article	Crimping tool, 6-120 mm ² (depending on type of contact)
Product description	<ul style="list-style-type: none"> • Tubular cable lugs ranging from 6...120 mm² • Rolled CU-connectors ranging from 6...70 mm² • Wire-end ferrules ranging from 25...95 mm² • Retractable head for easy withdrawal of crimped connection

Approvals

Approvals



Data sheet...

**Crimping tool
MTR 110**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

